ELSEVIER

Author Index for Volume 25

A'Hern, R.P., 251
Aldrovandi, G., 353
Alpert, J., 119
Ancker, J., 72
Antman, E.M., 553
Assmann, S.F., 553
Ayash, C., 353

Bacharier, L.B., 286
Balkrishnan, R., 447
Bang, H., 143
Batts-Turner, M., 53
Biggs, M.M., 119
Berger, V.W., 515, 613
Bloomberg, G.R., 286
Boehmer, S.J., 286
Bone, L.R., 53
Bonkovsky, H.L., 472
Bowen, D.J., 447
Brancati, F.L., 53
Breese, P., 74
Brenes, G.A., 447
Brown, S., 235
Buczynski, B., 76
Burke, L.B., 535
Burman, W., 74
Butterfield, L.H., 400
Byerly, M., 598

Capra, W.B., 168
Carlin, S.M., 203
Carmack Taylor, C.L., 265
Carmody, T., 598
Carter, R.E., 429
Chan, S.F., 408
Chang, M.N., 326
Charnsangavej, C., 265
Charrois, T., 502
Chinchilli Jr., V.M., 286
Clayton, D., 71
Clemmensen-Rotne, K., 585
Collins, J., 378
Coltman Jr., C.A., 203
Connell, P., 76
Corbie-Smith, G., 335
Corey, P., 417
Costa, L.J.M., 525
Criqui, M.H., 178
Crowley, J.J., 203
Curb, D., 335

Davis, C.E., 143
Dawson, W., 235
De Moor, C., 265
Degl' Innocenti, A., 585
Del Giglio, A., 525
Di Bisceglie, A.M., 472
Dienstag, J.L., 472
Dimsdale, J.E., 178
Domanski, M., 553
Donner, A., 3
Drennan, K.B., 1
Dunn, A.L., 265

Early Treatment for Retinopathy of Prematurity Cooperative Group, 311
Economou, J.S., 400
Edwards, P., 31
Erickson, P., 535
Everhart, J.E., 472
Everson, G.T., 472

Farmer, D.F., 447
Fava, M., 119
Feussner, J.R., 378
Ford, L.G., 203
Fouad, M.N., 335
Fransen, M., 223
Freidlin, B., 67
Frost, C., 31

Gabbay, M., 388
Gajewski, B.J., 157
Gary, T.L., 53
Gemmel, A., 76
George, S.L., 67
Geys, H., 13
Ghany, M.G., 472
Glaspy, J.A., 400
Goedhart, D.M., 563
Goertz, C., 76
Golomb, B.A., 178
Goodman, P.J., 203
Gordon, L.K., 400
Gritz, E.R., 265
Guilbert, T.W., 286

Hagino, A., 572
Hamada, C., 572
Hansen, M.C., 265
Heldt, G., 286
Hendel, L., 585
Hill, M.N., 53
Hill-Briggs, F., 53
HIPAID Collaborative Group, 223
Holland, R., 598
Horner, R., 378
Howard, B.V., 335
Hulley, S.B., 104
Hutson, A.D., 493

Ireland, C.C., 104
Irwig, L., 408

Johnson, G., 378

doi:10.1016/S0197-2456(04)00104-7

Kalish, L.A., 76
Kankasa, C., 353
Kashner, T.M., 119
Kasonde, P., 353
Katula, J.A., 447
Kepner, J.L., 326
Korn, E.L., 67
Krawiec, M., 286
Kuhn, L., 353
Kupfer, D.J., 119
Kuppermann, M., 104

Laenen, A., 13
Lammers, J.-W.J., 563
Larsen, G., 286
Lauritsen, K., 585
Lavori, P., 378
Lavori, P.W., 119
Learman, L.A., 104
Lebowitz, B.D., 119
Lee, W.M., 472
Lemanske Jr., R.F., 286
Levine, D.M., 53
Li, B., 598
Lindquist, J.H., 378
Lindsay, K.L., 472
Lok, A.S., 472
Lumley, J., 235
Lytje, M.F., 585

Macaskill, P., 408
Macklin, E.A., 76
Maggon, K., 366
Marks, R.G., 437
Martinez, F.D., 286
Mauger, D.T., 286
Mauger, E.A., 286
Mayo, M.S., 157
McGrath, P.J., 119
McGuire, M., 53
McKinlay, S., 553
Mihalko, S.L., 447
Miller, D.R., 598
Molenberghs, G., 13
Montgomery, J.H., 598
Morgan, T.R., 472
Morgan, W.J., 286
Morishima, C., 472
Mouton, C., 335

Nakazato, H., 572
Newman, S., 502
Ni, L., 143
Niederehe, G., 119
Nierenberg, A.A., 119
Norman, J., 553
Nusinowitz, S., 400

Oddone, E.Z., 378
Ohashi, Y., 572
Olsen, M.K., 378
Orr, M., 378

Panzarella, T., 417
Pettaway, C., 265
Pian-Smith, M., 76
Platonov, P., 553
Powe, N.R., 53
Præst, J., 585

Quitkin, F.M., 119

Reda, D., 378
Reid, M.E., 493
Renard, D., 13
Ribas, A., 400
Richter, H.E., 104
Ritz, L., 119
Roberts, I., 31
Rosenbaum, J.F., 119
Rush, A.J., 119
Ryan, A., 203

Sackeim, H.A., 119
Sakamoto, J., 572
Sandercock, P., 31
Saudek, C., 53
Sellin, R., 265
Semrau, K., 353
Senthilselvan, A., 502
Shores-Wilson, K., 119
Shiffman, M.L., 472
Shutes, E., 353
Simon, M., 335
Sin, D., 502
Sinkala, M., 353
Small, R., 235
Smith, M.A., 265
Sorkness, C., 286
Spahn, J.D., 286
Stevens, S., 76
Stewart, J.W., 119
Straatsma, B.R., 400
Strunk, R.C., 286
Summitt Jr., R.L., 104
Szefler, S.J., 286

Talavera, G., 335
Tangen, C.M., 203
Taussig, L.M., 286
Thase, M.E., 119
The HALT-C Trial Group, 472
The SEARCH Study Group, 458
The STAR*D Investigators Group, 119
Thea, D.M., 353
Thomas, J., 388
Thompson, I.M., 203
Thompson, J., 76, 335
Trivedi, M.H., 119
Tsai, W.-Y., 353
Tsuyuki, R.T., 502

Valaskatgis, P., 76
Vangeneugden, T., 13
Varghese, F., 598
Varner, R.E., 104
Varshavsky, S., 553
Vittinghoff, E., 104
Vwalika, C., 353

Walter, S.D., 408
Wang, C.-Y., 335
Wang, N.-Y., 53
Washington, E., 104
Watson, L., 235
Wayne, P.M., 76
Weinstein, S., 515
Wheatley, K., 71
White, C., 335
White, H.L., 178
Whitehead, J., 69
Wiklund, I., 585
Willke, R.J., 535
Wisniewski, S.R., 119
Wright, E.C., 472

Xavier, A.C.G., 525

Yeh, H.-c., 53
Yi, Q., 417
Yoshimura, I., 572
Young, R., 335

Zanen, P., 563
Zeiger, R.S., 286
Zou, G., 3
Zusman, R.M., 76

ELSEVIER

Subject Index for Volume 25

ABNORMAL UTERINE BLEEDING
Medicine or Surgery (Ms): a randomized clinical trial comparing hysterectomy and medical treatment in premenopausal women with abnormal uterine bleeding, 104

ACCRUAL TIME
Application of stochastic processes to participant recruitment in clinical trials, 429

ACUPUNCTURE
Stop Hypertension with the Acupuncture Research Program (SHARP): clinical trial design and screening results, 76

ADHERENCE
Challenges and innovations in enhancing adherence, 447
Symptom recording in a randomised clinical trial: paper diaries vs. electronic or telephone data capture, 585

ADOLESCENTS
SEARCH for Diabetes in Youth: a multicenter study of the prevalence, incidence and classification of diabetes mellitus in youth, 458

AFRICAN-AMERICANS
A randomized controlled trial of the effects of nurse case manager and community health worker team interventions in urban African-Americans with type 2 diabetes, 53

AGE
Analyzing bronchodilation with emphasis on disease type, age and sex, 563

AGGRESSION
The UCSD Statin Study: a randomized controlled trial assessing the impact of statins on selected noncardiac outcomes, 178

ALLERGENS
The Prevention of Early Asthma in Kids study: design, rationale and methods for the Childhood Asthma Research and Education network, 286

ALLOCATION CONCEALMENT
Ensuring the comparability of comparison groups: is randomization enough?, 515

ALLOCATION OF INTERVENTION TO COMMUNITIES
Mounting a community-randomized trial: sample size, matching, selection, and randomization issues in PRISM, 235

ALPHA
On the generation and ownership of alpha in medical studies, 613

ANALYSIS OF COVARIANCE
Adjustment for baseline measurement error in randomized controlled trials induces bias, 408

ANALYSIS OF VARIANCE
Analyzing bronchodilation with emphasis on disease type, age and sex, 563

ANTIDEPRESSANTS
Sequenced treatment alternatives to relieve depression (STAR*D): rationale and design, 119

doi:10.1016/S0197-2456(04)00105-9

ANTIPSYCHOTIC(S)
An analysis of the effect of funding source in randomized clinical trials of second generation antipsychotics for the treatment of schizophrenia, 598

ASTHMA
Improving asthma symptom control in rural communities: the design of the Better Respiratory Education and Asthma Treatment in Hinton and Edson study, 502
Analyzing bronchodilation with emphasis on disease type, age and sex, 563

ASTHMA PREDICTIVE INDEX
The Prevention of Early Asthma in Kids study: design, rationale and methods for the Childhood Asthma Research and Education network, 286

ATOPY
The Prevention of Early Asthma in Kids study: design, rationale and methods for the Childhood Asthma Research and Education network, 286

BETA
Bayesian sample size calculations in phase II clinical trials using informative conjugate priors, 157

BIAS
Adjustment for baseline measurement error in randomized controlled trials induces bias, 408

BINOMIAL
Bayesian sample size calculations in phase II clinical trials using informative conjugate priors, 157

BINOMIAL DISTRIBUTION
Samples of exact *k*-stage group sequential designs for Phase II and Pilot studies, 326

BLINDING
Assessment of blinding in clinical trials, 143

BLINDING INDEX
Assessment of blinding in clinical trials, 143

BLOOD PRESSURE
Stop Hypertension with the Acupuncture Research Program (SHARP): clinical trial design and screening results, 76

BREAST-FEEDING
Issues in the design of a clinical trial with a behavioral intervention—the Zambia exclusive breast-feeding study, 353

BROKEN EXPERIMENT
Ensuring the comparability of comparison groups: is randomization enough?, 515

BRONCHIAL HYPERRESPONSIVENESS
The Prevention of Early Asthma in Kids study: design, rationale and methods for the Childhood Asthma Research and Education network, 286

BRONCHODILATION
Analyzing bronchodilation with emphasis on disease type, age and sex, 563

CAD PHASE II TRIALS
Widening eligibility to phase II trials: constant arcsine difference phase II trials, 251

CHEMOPREVENTION
Implementation of the Prostate Cancer Prevention Trial (PCPT), 203

CHILDREN
SEARCH for Diabetes in Youth: a multicenter study of the prevalence, incidence and classification of diabetes mellitus in youth, 458

CHRONIC HEPATITIS C
Evolution of the HALT-C Trial: pegylated interferon as maintenance therapy for chronic hepatitis C in previous interferon nonresponders, 472

CIRRHOSIS
Evolution of the HALT-C Trial: pegylated interferon as maintenance therapy for chronic hepatitis C in previous interferon nonresponders, 472

CLASSIC RANDOMIZED TRIAL
Comparing the power of the discontinuation design to that of the classic randomized design on time-to-event endpoints, 168

CLINICAL TRIAL
Assessment of blinding in clinical trials, 143
Multicenter trial of early treatment for retinopathy of prematurity: study design, 311
Application of stochastic processes to participant recruitment in clinical trials, 429

CLINICAL TRIAL DESIGN
The utility of partial cross-over designs in early phase randomized prevention trials, 493

CLINICAL TRIAL ENROLLMENT
Enrollment in clinical trials according to patients race: experience from the VA Cooperative Studies Program (1975–2000), 378

CLINICAL TRIALS
The Prevention of Early Asthma in Kids study: design, rationale and methods for the Childhood Asthma Research and Education network, 286
Challenges and innovations in enhancing adherence, 447
Negative results in cancer clinical trials—equivalence or poor accrual?, 525

COGNITION
The UCSD Statin Study: a randomized controlled trial assessing the impact of statins on selected noncardiac outcomes, 178

COGNITIVE THERAPY
Sequenced treatment alternatives to relieve depression (STAR*D): rationale and design, 119

COMMUNITY AND PRIMARY CARE INTERVENTION
Mounting a community-randomized trial: sample size, matching, selection, and randomization issues in PRISM, 235

COMMUNITY HEALTH WORKER
A randomized controlled trial of the effects of nurse case manager and community health worker team interventions in urban African-Americans with type 2 diabetes, 53

COMMUNITY OUTREACH
Special populations recruitment for the Women's Health Initiative: successes and limitations, 335

COMMUNITY-RANDOMIZED TRIALS
Mounting a community-randomized trial: sample size, matching, selection, and randomization issues in PRISM, 235

CONDOMS
When free condoms and spermicide are not enough: barriers and solutions to participant recruitment to community-based trials, 388

CONFIDENCE INTERVAL
A simple alternative confidence interval for the difference between two proportions, 3
Incorporating the sampling variation of the disease prevalence when calculating the sample size in a study to determine the diagnostic accuracy of a test, 417

CONFOUNDING
Ensuring the comparability of comparison groups: is randomization enough?, 515

CONSTANT ARCSINE DIFFERENCE
Widening eligibility to phase II trials: constant arcsine difference phase II trials, 251

CONTROLLED TRIALS
Evolution of the HALT-C Trial: pegylated interferon as maintenance therapy for chronic hepatitis C in previous interferon nonresponders, 472

COPD
Analyzing bronchodilation with emphasis on disease type, age and sex, 563

CORONARY DISEASE
Geographic variability in patient characteristics, treatment and outcome in an International Trial of Magnesium in acute myocardial infarction, 553

CRISP
Assessment of blinding in clinical trials, 143

CROSS-OVER DESIGN
The utility of partial cross-over designs in early phase randomized prevention trials, 493

DELIVERY OF HEALTH CARE
Improving asthma symptom control in rural communities: the design of the Better Respiratory Education and Asthma Treatment in Hinton and Edson study, 502

DENDRITIC CELLS
Surveillance of the eye and vision in a clinical trial of MART1-transformed dendritic cells for metastatic melanoma, 400

DIAGNOSTIC ERRORS
Adjustment for baseline measurement error in randomized controlled trials induces bias, 408

DIARIES
Symptom recording in a randomised clinical trial: paper diaries vs. electronic or telephone data capture, 585

DISABILITY
Preventing chronic ectopic bone-related pain and disability after hip replacement surgery with perioperative ibuprofen. A multicenter, randomized, double-blind, placebo-controlled trial (HIPAID), 223

DISCONTINUATION TRIAL
Comparing the power of the discontinuation design to that of the classic randomized design on time-to-event endpoints, 168

DRUG DEVELOPMENT
Measuring treatment impact: a review of patient-reported outcomes and other efficacy endpoints in approved product labels, 535

DRUG LABELING
Measuring treatment impact: a review of patient-reported outcomes and other efficacy endpoints in approved product labels, 535

EARLY CHILDHOOD ASTHMA
The Prevention of Early Asthma in Kids study: design, rationale and methods for the Childhood Asthma Research and Education network, 286

ECTOPIC BONE
Preventing chronic ectopic bone-related pain and disability after hip replacement surgery with perioperative ibuprofen. A multicenter, randomized, double-blind, placebo-controlled trial (HIPAID), 223

ELECTRONIC DEVICE
Symptom recording in a randomised clinical trial: paper diaries vs. electronic or telephone data capture, 585

ELECTRONIC SOURCE DOCUMENTS
Validating electronic source data in clinical trials, 437

ERRORS-IN-VARIABLES
Adjustment for baseline measurement error in randomized controlled trials induces bias, 408

ETHICAL
Investigator and site selection and performing GCP clinical studies in India, 366

ETHNIC GROUPS
SEARCH for Diabetes in Youth: a multicenter study of the prevalence, incidence and classification of diabetes mellitus in youth, 458

EXACT TEST
Samples of exact *k*-stage group sequential designs for Phase II and Pilot studies, 326

EXHALED NITRIC OXIDE
The Prevention of Early Asthma in Kids study: design, rationale and methods for the Childhood Asthma Research and Education network, 286

EXPERIMENT-WISE ERROR RATE
Samples of exact *k*-stage group sequential designs for Phase II and Pilot studies, 326

EYE
Surveillance of the eye and vision in a clinical trial of MART1-transformed dendritic cells for metastatic melanoma, 400

FAMILY PLANNING
When free condoms and spermicide are not enough: barriers and solutions to participant recruitment to community-based trials, 388

FINASTERIDE
Implementation of the Prostate Cancer Prevention Trial (PCPT), 203

FISHER'S Z TRANSFORMATION
A simple alternative confidence interval for the difference between two proportions, 3

FLUTICASONE
The Prevention of Early Asthma in Kids study: design, rationale and methods for the Childhood Asthma Research and Education network, 286

FUNDING SOURCE
An analysis of the effect of funding source in randomized clinical trials of second generation antipsychotics for the treatment of schizophrenia, 598

GCP CLINICAL TRIALS
Investigator and site selection and performing GCP clinical studies in India, 366

GLUCOCORTICOIDS
The Prevention of Early Asthma in Kids study: design, rationale and methods for the Childhood Asthma Research and Education network, 286

GOLD STANDARD TEST
Incorporating the sampling variation of the disease prevalence when calculating the sample size in a study to determine the diagnostic accuracy of a test, 417

GRATING VISUAL ACUITY OUTCOME
Multicenter trial of early treatment for retinopathy of prematurity: study design, 311

GROUP SEQUENTIAL TEST
Samples of exact *k*-stage group sequential designs for Phase II and Pilot studies, 326

HAZARD RATIO
Comparing the power of the discontinuation design to that of the classic randomized design on time-to-event endpoints, 168

HEALTH-RELATED QUALITY OF LIFE
Measuring treatment impact: a review of patient-reported outcomes and other efficacy endpoints in approved product labels, 535

HIP REPLACEMENT
Preventing chronic ectopic bone-related pain and disability after hip replacement surgery with perioperative ibuprofen. A multicenter, randomized, double-blind, placebo-controlled trial (HIPAID), 223

HIV
Issues in the design of a clinical trial with a behavioral intervention—the Zambia exclusive breast-feeding study, 353

HIV/AIDS
Issues in the design of a clinical trial with a behavioral intervention—the Zambia exclusive breast-feeding study, 353

HMG-CoA REDUCTASE INHIBITORS
The UCSD Statin Study: a randomized controlled trial assessing the impact of statins on selected noncardiac outcomes, 178

HYPERTENSION
Stop Hypertension with the Acupuncture Research Program (SHARP): clinical trial design and screening results, 76

HYSTERECTOMY
Medicine or Surgery (Ms): a randomized clinical trial comparing hysterectomy and medical treatment in premenopausal women with abnormal uterine bleeding, 104

INCREASING ACCRUAL
Widening eligibility to phase II trials: constant arcsine difference phase II trials, 251

INDIA
Investigator and site selection and performing GCP clinical studies in India, 366

INDUSTRY
An analysis of the effect of funding source in randomized clinical trials of second generation antipsychotics for the treatment of schizophrenia, 598

INTERFERONS
Evolution of the HALT-C Trial: pegylated interferon as maintenance therapy for chronic hepatitis C in previous interferon nonresponders, 472

INTERMITTENT WHEEZING
The Prevention of Early Asthma in Kids study: design, rationale and methods for the Childhood Asthma Research and Education network, 286

INTERNET-BASED PRODUCTS
Validating electronic source data in clinical trials, 437

INTERVENTION
Challenges and innovations in enhancing adherence, 447

INTERVENTIONS
A randomized controlled trial of the effects of nurse case manager and community health worker team interventions in urban African-Americans with type 2 diabetes, 53

INVESTIGATORS SELECTION
Investigator and site selection and performing GCP clinical studies in India, 366

LINEAR MIXED MODEL
Applying linear mixed models to estimate reliability in clinical trial data with repeated measurements, 13

LINEAR MODELS
Adjustment for baseline measurement error in randomized controlled trials induces bias, 408

LOGISTIC REGRESSION
Multicenter trial of early treatment for retinopathy of prematurity: study design, 311

LOSS TO FOLLOW-UP
Follow-up by mail in clinical trials: does questionnaire length matter?, 31

MAGNESIUM
Geographic variability in patient characteristics, treatment and outcome in an International Trial of Magnesium in acute myocardial infarction, 553

MAILED QUESTIONNAIRE
Follow-up by mail in clinical trials: does questionnaire length matter?, 31

MAINTENANCE THERAPY
Evolution of the HALT-C Trial: pegylated interferon as maintenance therapy for chronic hepatitis C in previous interferon nonresponders, 472

MAJOR DEPRESSIVE DISORDER
Sequenced treatment alternatives to relieve depression (STAR*D): rationale and design, 119

MART-1 MELANOMA
Surveillance of the eye and vision in a clinical trial of MART1-transformed dendritic cells for metastatic melanoma, 400

MASKING
Assessment of blinding in clinical trials, 143

MASS MAILING
Special populations recruitment for the Women's Health Initiative: successes and limitations, 335

MATCHED PAIRS
Mounting a community-randomized trial: sample size, matching, selection, and randomization issues in PRISM, 235

MATERNAL DEPRESSION
Mounting a community-randomized trial: sample size, matching, selection, and randomization issues in PRISM, 235

MEASURE OF LOCATION
Bayesian sample size calculations in phase II clinical trials using informative conjugate priors, 157

MEASUREMENT
Challenges and innovations in enhancing adherence, 447

MEASUREMENT ERROR
Adjustment for baseline measurement error in randomized controlled trials induces bias, 408

MEDICAL STUDIES
On the generation and ownership of alpha in medical studies, 613

MEDROXYPROGESTERONE ACETATE
Medicine or Surgery (Ms): a randomized clinical trial comparing hysterectomy and medical treat-

ment in premenopausal women with abnormal uterine bleeding, 104

MELANOMA
Surveillance of the eye and vision in a clinical trial of MART1-transformed dendritic cells for metastatic melanoma, 400

METASTATIC MELANOMA
Surveillance of the eye and vision in a clinical trial of MART1-transformed dendritic cells for metastatic melanoma, 400

MINIMIZATION METHOD
Statistical comparison of random allocation methods in cancer clinical trials, 572

MINORITY RECRUITMENT
Special populations recruitment for the Women's Health Initiative: successes and limitations, 335

MOTHER-TO-CHILD TRANSMISSION
Issues in the design of a clinical trial with a behavioral intervention—the Zambia exclusive breast-feeding study, 353

MULTINOMIAL TEST
Assessment of blinding in clinical trials, 143

MULTISTEP MULTICENTER CLINICAL TRIAL
Sequenced treatment alternatives to relieve depression (STAR*D): rationale and design, 119

MYOCARDIAL INFARCTION
Geographic variability in patient characteristics, treatment and outcome in an International Trial of Magnesium in acute myocardial infarction, 553

NEOPLASMS
Negative results in cancer clinical trials—equivalence or poor accrual?, 525

NSAIDs
Preventing chronic ectopic bone-related pain and disability after hip replacement surgery with perioperative ibuprofen. A multicenter, randomized, double-blind, placebo-controlled trial (HIPAID), 223

NUMBER NEEDED TO TREAT
A simple alternative confidence interval for the difference between two proportions, 3

NURSE CASE MANAGER
A randomized controlled trial of the effects of nurse case manager and community health worker team interventions in urban African-Americans with type 2 diabetes, 53

OSCILLOMETRY
The Prevention of Early Asthma in Kids study: design, rationale and methods for the Childhood Asthma Research and Education network, 286

OUTCOME
An analysis of the effect of funding source in randomized clinical trials of second generation antipsychotics for the treatment of schizophrenia, 598

OUTCOME ASSESSMENT
Follow-up by mail in clinical trials: does questionnaire length matter?, 31

OUTCOMES RESEARCH
Improving asthma symptom control in rural communities: the design of the Better Respiratory Education and Asthma Treatment in Hinton and Edson study, 502

PAPER-BASED SOURCE DOCUMENTS
Validating electronic source data in clinical trials, 437

PARALLEL DESIGN
The utility of partial cross-over designs in early phase randomized prevention trials, 493

PARTICIPANT OPINIONS
When free condoms and spermicide are not enough: barriers and solutions to participant recruitment to community-based trials, 388

PARTICIPANT SURVEY
When free condoms and spermicide are not enough: barriers and solutions to participant recruitment to community-based trials, 388

PATIENT EDUCATION
Improving asthma symptom control in rural communities: the design of the Better Respiratory Education and Asthma Treatment in Hinton and Edson study, 502

PATIENT-REPORTED OUTCOMES
Measuring treatment impact: a review of patient-reported outcomes and other efficacy endpoints in approved product labels, 535

PERINATAL HIV TRANSMISSION
Issues in the design of a clinical trial with a behavioral intervention—the Zambia exclusive breast-feeding study, 353

PERIPHERAL RETINAL ABLATION
Multicenter trial of early treatment for retinopathy of prematurity: study design, 311

PHARMACISTS
Improving asthma symptom control in rural communities: the design of the Better Respiratory Education and Asthma Treatment in Hinton and Edson study, 502

PHASE II STUDY
The utility of partial cross-over designs in early phase randomized prevention trials, 493

PHASE II TRIAL
Samples of exact *k*-stage group sequential designs for Phase II and Pilot studies, 326

PHASE II TRIALS
Comparing the power of the discontinuation design to that of the classic randomized design on time-to-event endpoints, 168
Widening eligibility to phase II trials: constant arcsine difference phase II trials, 251

PHYSICAL ACTIVITY INTERVENTIONS
Quality of life intervention for prostate cancer patients: design and baseline characteristics of the *active for life* after cancer trial, 265

PILOT TRIAL
Samples of exact *k*-stage group sequential designs for Phase II and Pilot studies, 326

PLACEBO-CONTROLLED
Preventing chronic ectopic bone-related pain and disability after hip replacement surgery with perioperative ibuprofen. A multicenter, randomized, double-blind, placebo-controlled trial (HIPAID), 223

POISSON PROCESS
Application of stochastic processes to participant recruitment in clinical trials, 429

POSTAL QUESTIONNAIRE
Follow-up by mail in clinical trials: does questionnaire length matter?, 31

PREVENTION OF ASTHMA
The Prevention of Early Asthma in Kids study: design, rationale and methods for the Childhood Asthma Research and Education network, 286

PRIMARY CARE
When free condoms and spermicide are not enough: barriers and solutions to participant recruitment to community-based trials, 388

PROGNOSTIC FACTOR
Statistical comparison of random allocation methods in cancer clinical trials, 572

PROSTATE CANCER
Implementation of the Prostate Cancer Prevention Trial (PCPT), 203
Quality of life intervention for prostate cancer patients: design and baseline characteristics of the *active for life* after cancer trial, 265

PSYCHIATRY
Applying linear mixed models to estimate reliability in clinical trial data with repeated measurements, 13

QUALITY OF LIFE
Medicine or Surgery (Ms): a randomized clinical trial comparing hysterectomy and medical treatment in premenopausal women with abnormal uterine bleeding, 104
Quality of life intervention for prostate cancer patients: design and baseline characteristics of the *active for life* after cancer trial, 265

QUESTIONNAIRE
Follow-up by mail in clinical trials: does questionnaire length matter?, 31

QUESTIONNAIRE LENGTH
Follow-up by mail in clinical trials: does questionnaire length matter?, 31

RACE
Enrollment in clinical trials according to patients race: experience from the VA Cooperative Studies Program (1975–2000), 378

RANDOM ALLOCATION
Statistical comparison of random allocation methods in cancer clinical trials, 572

RANDOMIZATION YIELD
Special populations recruitment for the Women's Health Initiative: successes and limitations, 335

RANDOMIZED
Preventing chronic ectopic bone-related pain and disability after hip replacement surgery with perioperative ibuprofen. A multicenter, randomized, double-blind, placebo-controlled trial (HIPAID), 223

RANDOMIZED CLINICAL TRIAL
Stop Hypertension with the Acupuncture Research Program (SHARP): clinical trial design and screening results, 76
Sequenced treatment alternatives to relieve depression (STAR*D): rationale and design, 119

RANDOMIZED CONTROLLED TRIALS
Adjustment for baseline measurement error in randomized controlled trials induces bias, 408

RANDOMIZED TRIAL
A randomized controlled trial of the effects of nurse case manager and community health worker team interventions in urban African-Americans with type 2 diabetes, 53
Medicine or Surgery (Ms): a randomized clinical trial comparing hysterectomy and medical treatment in premenopausal women with abnormal uterine bleeding, 104

RATING SCALE
Applying linear mixed models to estimate reliability in clinical trial data with repeated measurements, 13

RCT
When free condoms and spermicide are not enough: barriers and solutions to participant recruitment to community-based trials, 388

RECRUITMENT
Special populations recruitment for the Women's Health Initiative: successes and limitations, 335
When free condoms and spermicide are not enough: barriers and solutions to participant recruitment to community-based trials, 388

REGRESSION ANALYSIS
Adjustment for baseline measurement error in randomized controlled trials induces bias, 408

REGULATORY
Investigator and site selection and performing GCP clinical studies in India, 366

RELIABILITY
Applying linear mixed models to estimate reliability in clinical trial data with repeated measurements, 13

REPEATED MEASUREMENTS
Applying linear mixed models to estimate reliability in clinical trial data with repeated measurements, 13

RESEARCH NETWORK
The Prevention of Early Asthma in Kids study: design, rationale and methods for the Childhood Asthma Research and Education network, 286

RESEARCHERS
On the generation and ownership of alpha in medical studies, 613

RESIDUALS
Analyzing bronchodilation with emphasis on disease type, age and sex, 563

RESPONSE RATE
Follow-up by mail in clinical trials: does questionnaire length matter?, 31

RETINOPATHY OF PREMATURITY
Multicenter trial of early treatment for retinopathy of prematurity: study design, 311

RISK DIFFERENCE
A simple alternative confidence interval for the difference between two proportions, 3

RISK–BENEFIT
The UCSD Statin Study: a randomized controlled trial assessing the impact of statins on selected noncardiac outcomes, 178

SAMPLE SIZE
Mounting a community-randomized trial: sample size, matching, selection, and randomization issues in PRISM, 235
Incorporating the sampling variation of the disease prevalence when calculating the sample size in a study to determine the diagnostic accuracy of a test, 417

SATISFACTION
Symptom recording in a randomised clinical trial: paper diaries vs. electronic or telephone data capture, 585

SCHIZOPHRENIA
An analysis of the effect of funding source in randomized clinical trials of second generation antipsychotics for the treatment of schizophrenia, 598

SCORE METHOD
A simple alternative confidence interval for the difference between two proportions, 3

SELECTION BIAS
Ensuring the comparability of comparison groups: is randomization enough?, 515

SELECTION OF COMMUNITIES
Mounting a community-randomized trial: sample size, matching, selection, and randomization issues in PRISM, 235

SENSITIVITY
Incorporating the sampling variation of the disease prevalence when calculating the sample size in a study to determine the diagnostic accuracy of a test, 417

SEROTONIN
The UCSD Statin Study: a randomized controlled trial assessing the impact of statins on selected noncardiac outcomes, 178

SEXUAL FUNCTION
Medicine or Surgery (Ms): a randomized clinical trial comparing hysterectomy and medical treatment in premenopausal women with abnormal uterine bleeding, 104

SIMULATION STUDY
Statistical comparison of random allocation methods in cancer clinical trials, 572

SIMULATIONS
Comparing the power of the discontinuation design to that of the classic randomized design on time-to-event endpoints, 168

SITE AND HOSPITAL SELECTION
Investigator and site selection and performing GCP clinical studies in India, 366

SIZE OF A TEST
Samples of exact k-stage group sequential designs for Phase II and Pilot studies, 326

SPIROMETRY
The Prevention of Early Asthma in Kids study: design, rationale and methods for the Childhood Asthma Research and Education network, 286

ST ELEVATION MYOCARDIAL INFARCTION
Geographic variability in patient characteristics, treatment and outcome in an International Trial of Magnesium in acute myocardial infarction, 553

STATINS
The UCSD Statin Study: a randomized controlled trial assessing the impact of statins on selected noncardiac outcomes, 178

STATISTICAL POWER
Samples of exact k-stage group sequential designs for Phase II and Pilot studies, 326

STATISTICAL STUDIES
Negative results in cancer clinical trials—equivalence or poor accrual?, 525

STUDY DESIGN
Improving asthma symptom control in rural communities: the design of the Better Respiratory Education and Asthma Treatment in Hinton and Edson study, 502

STUDY MANAGEMENT
Implementation of the Prostate Cancer Prevention Trial (PCPT), 203

STUDY ORGANIZATION
Implementation of the Prostate Cancer Prevention Trial (PCPT), 203

SYMPTOM REGISTRATION
Symptom recording in a randomised clinical trial: paper diaries vs. electronic or telephone data capture, 585

THERAPEUTIC EQUIVALENCY
Negative results in cancer clinical trials—equivalence or poor accrual?, 525

TIMING OF TREATMENT
Multicenter trial of early treatment for retinopathy of prematurity: study design, 311

TRADITIONAL CHINESE MEDICINE
Stop Hypertension with the Acupuncture Research Program (SHARP): clinical trial design and screening results, 76

TRIAL DESIGN
Statistical comparison of random allocation methods in cancer clinical trials, 572

TYPE 1 DIABETES
SEARCH for Diabetes in Youth: a multicenter study of the prevalence, incidence and classification of diabetes mellitus in youth, 458

TYPE 2 DIABETES
A randomized controlled trial of the effects of nurse case manager and community health worker team interventions in urban African-Americans with type 2 diabetes, 53
SEARCH for Diabetes in Youth: a multicenter study of the prevalence, incidence and classification of diabetes mellitus in youth, 458

UNIFORMLY MOST POWERFUL TEST
Samples of exact *k*-stage group sequential designs for Phase II and Pilot studies, 326

UTILIZATION AND COSTS
Sequenced treatment alternatives to relieve depression (STAR*D): rationale and design, 119

VA COOPERATIVE STUDIES PROGRAM
Enrollment in clinical trials according to patients race: experience from the VA Cooperative Studies Program (1975–2000), 378

VIRAL HEPATITIS
Evolution of the HALT-C Trial: pegylated interferon as maintenance therapy for chronic hepatitis C in previous interferon nonresponders, 472

VISION
Surveillance of the eye and vision in a clinical trial of MART1-transformed dendritic cells for metastatic melanoma, 400

WEIBULL DISTRIBUTION
Comparing the power of the discontinuation design to that of the classic randomized design on time-to-event endpoints, 168

WIDENING ELIGIBILITY
Widening eligibility to phase II trials: constant arcsine difference phase II trials, 251

WITHIN-PATIENT VARIABILITY
Adjustment for baseline measurement error in randomized controlled trials induces bias, 408